

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|--|------------------|---------|------------------|
| L1 | 8 | (polyA or polyT) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L2 | 27443 | (poly(A) or poly(T)) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L3 | 757993 | array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L4 | 5351 | ((poly(A) or poly(T)) near (probe or normaliz\$)) and array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L5 | 114589 | repetitive or alu | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L6 | 113573 | (((((poly(A) or poly(T)) near (probe or normaliz\$)) and array) and (calibrat\$ or normaliz\$) near poly(A)) and (repetitive or alu) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L7 | 47 | (calibrat\$ or normaliz\$) near poly | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L8 | 196288 | nucleic or polynucleotide | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L9 | 7 | ((calibrat\$ or normaliz\$) near poly) and (nucleic or polynucleotide) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L10 | 2 | ("5225326").PN. | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L11 | 742 | bioB or BioC or BioD | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |

| | | | | | | |
|-----|--------|---|--|----|-----|------------------|
| L12 | 102 | array and (bioB or BioC or BioD) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L13 | 458 | random adj oligonucleotides | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L14 | 0 | (array and (bioB or BioC or BioD)) and (random adj oligonucleotides) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L15 | 389237 | normaliz\$ or calibrat\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L16 | 58 | (array and (bioB or BioC or BioD)) and (normaliz\$ or calibrat\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L17 | 2 | ("6132997").PN. | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L18 | 5198 | random adj (oligonucleotide or primer) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L19 | 295639 | hybridiz\$ or anneal\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L20 | 4840 | (random adj (oligonucleotide or primer)) and (hybridiz\$ or anneal\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L21 | 802396 | array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L22 | 1399 | ((random adj (oligonucleotide or primer)) and (hybridiz\$ or anneal\$)) and array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L23 | 389237 | normaliz\$ or calibrat\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |

| | | | | | | |
|-----|--------|--|-----------------------------------|----|-----|------------------|
| L24 | 580 | ((random adj (oligonucleotide or primer)) and (hybridiz\$ or anneal\$)) and array) and (normaliz\$ or calibrat\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L25 | 774298 | model\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L26 | 490213 | protein or peptide or polypeptide | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L27 | 93044 | model\$ and (protein or peptide or polypeptide) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L28 | 44443 | 3-D or 3-dimension\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L29 | 3308 | (model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L30 | 11262 | sequence adj align\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L31 | 740 | ((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L32 | 229232 | genomic or (large adj scale) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L33 | 669 | ((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$) and (genomic or (large adj scale)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L34 | 13085 | model\$ near (build\$ or creat\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |

| | | | | | | |
|-----|--------|---|--|----|-----|------------------|
| L35 | 103 | (((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L36 | 103 | (((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L37 | 103 | L36 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L38 | 13085 | model\$ near (build\$ or creat\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L39 | 13085 | L38 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L40 | 8 | (polyA or polyT) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L41 | 8 | L40 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L42 | 27443 | (poly(A) or poly(T)) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L43 | 27443 | L42 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L44 | 757993 | array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |

| | | | | | | |
|-----|--------|--|--|----|-----|---------------------|
| L45 | 757993 | L44 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L46 | 5351 | ((poly(A) or poly(T)) near (probe or normaliz \$)) and array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L47 | 5351 | L46 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L48 | 5351 | ((poly(A) or poly(T)) near (probe or normaliz \$)) and array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L49 | 5351 | L48 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L50 | 5351 | L49 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L51 | 5351 | L48 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L52 | 757993 | array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L53 | 757993 | L52 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L54 | 757993 | L53 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L55 | 757993 | L52 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |

| | | | | | | |
|-----|-------|--|--|----|-----|---------------------|
| L56 | 27443 | (poly(A) or poly(T)) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L57 | 27443 | L56 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L58 | 27443 | L57 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L59 | 27443 | L56 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L60 | 8 | (polyA or polyT) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L61 | 8 | L60 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L62 | 8 | L61 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L63 | 8 | L60 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L64 | 13085 | model\$ near (build\$ or creat\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L65 | 13085 | L64 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L66 | 13085 | L65 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |

| | | | | | | |
|-----|--------|--|--|----|-----|---------------------|
| L67 | 13085 | L65 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L68 | 13085 | L64 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L69 | 103 | (((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L70 | 103 | L69 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L71 | 103 | L70 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L72 | 103 | L69 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L73 | 103 | (((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L74 | 103 | L73 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 13:02 |
| L75 | 27443 | (poly(A) or poly(T)) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| L76 | 757993 | array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |

| | | | | | | |
|-----|----------|---|--|----|-----|---------------------|
| L77 | 5351 | ((poly(A) or poly(T)) near (probe or normaliz \$)) and array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:02 |
| S1 | 5 | (polyA or polyT) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 12:48 |
| S2 | 19972 | (poly(A) or poly(T)) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 12:49 |
| S3 | 532944 | array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 12:49 |
| S4 | 3197 | ((poly(A) or poly(T)) near (probe or normaliz \$)) and array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 12:49 |
| S5 | 27663975 | calibrat\$ or normaliz\$) near poly(A | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 13:01 |
| S6 | 3197 | ((poly(A) or poly(T)) near (probe or normaliz \$)) and array) and (calibrat\$ or normaliz\$) near poly(A) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 12:51 |
| S7 | 90322 | repetitive or alu | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 12:52 |
| S8 | 395 | ((poly(A) or poly(T)) near (probe or normaliz \$)) and array) and (calibrat\$ or normaliz\$) near poly(A)) and (repetitive or alu) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 12:52 |
| S9 | 36 | (calibrat\$ or normaliz\$) near poly | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 18:10 |
| S10 | 122052 | nucleic or polynucleotide | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 13:02 |
| S11 | 7 | ((calibrat\$ or normaliz\$) near poly) and (nucleic or polynucleotide) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 13:32 |

| | | | | | | |
|-----|--------|--|---|----|-----|---------------------|
| S12 | 2 | ("5225326").PN. | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 14:32 |
| S13 | 625 | bioB or BioC or BioD | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 14:32 |
| S14 | 34 | array and (bioB or BioC or BioD) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 14:44 |
| S15 | 291 | random adj oligonucleotides | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/24 15:25 |
| S16 | 0 | (array and (bioB or BioC or BioD)) and (random adj oligonucleotides) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 14:39 |
| S17 | 286061 | normaliz\$ or calibrat\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 14:44 |
| S18 | 14 | (array and (bioB or BioC or BioD)) and (normaliz\$ or calibrat\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 17:14 |
| S19 | 2 | ("6132997").PN. | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/23 17:14 |
| S20 | 3304 | random adj (oligonucleotide or primer) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/06/24 15:26 |
| S21 | 211594 | hybridiz\$ or anneal\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/06/24 15:26 |
| S22 | 3094 | (random adj (oligonucleotide or primer)) and (hybridiz\$ or anneal\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/06/24 15:26 |
| S23 | 562947 | array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/06/24 15:27 |
| S24 | 771 | ((random adj (oligonucleotide or primer)) and (hybridiz\$ or anneal\$)) and array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/06/24 15:27 |

| | | | | | | |
|-----|--------|--|--|----|-----|---------------------|
| S25 | 286061 | normaliz\$ or calibrat\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/06/24 15:27 |
| S26 | 269 | ((random adj (oligonucleotide or primer)) and (hybridiz\$ or anneal\$)) and array) and (normaliz\$ or calibrat \$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/06/25 10:56 |
| S27 | 504829 | model\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/25 15:58 |
| S28 | 332836 | protein or peptide or polypeptide | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/25 15:58 |
| S29 | 60481 | model\$ and (protein or peptide or polypeptide) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/25 15:59 |
| S30 | 28694 | 3-D or 3-dimension\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/25 15:59 |
| S31 | 1657 | (model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension \$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/25 15:59 |
| S32 | 5399 | sequence adj align\$ | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/25 16:00 |
| S33 | 265 | ((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension \$)) and (sequence adj align\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/25 16:00 |
| S34 | 156094 | genomic or (large adj scale) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/25 16:01 |
| S35 | 235 | ((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/25 16:01 |

| | | | | | | |
|-----|-------|---|--|----|-----|------------------|
| S36 | 7029 | model\$ near (build\$ or creat\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/25 16:02 |
| S37 | 32 | (((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/06/25 16:02 |
| S38 | 95 | (((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:40 |
| S39 | 95 | S38 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:40 |
| S40 | 12314 | model\$ near (build\$ or creat\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:41 |
| S41 | 12314 | S40 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:41 |
| S42 | 8 | (polyA or polyT) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:42 |
| S43 | 8 | S42 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:42 |
| S44 | 26612 | (poly(A) or poly(T)) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:42 |
| S45 | 26612 | S44 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:42 |

| | | | | | | |
|-----|--------|--|--|----|-----|---------------------|
| S46 | 731419 | array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:42 |
| S47 | 731419 | S46 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:42 |
| S48 | 5132 | ((poly(A) or poly(T)) near (probe or normaliz \$)) and array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:42 |
| S49 | 5132 | S48 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:42 |
| S50 | 5132 | ((poly(A) or poly(T)) near (probe or normaliz \$)) and array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:44 |
| S51 | 5132 | S50 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:44 |
| S52 | 5132 | S51 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:44 |
| S53 | 5132 | S50 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:44 |
| S54 | 731419 | array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:45 |
| S55 | 731419 | S54 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:45 |
| S56 | 731419 | S55 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:45 |

| | | | | | | |
|-----|--------|--|--|----|-----|---------------------|
| S57 | 731419 | S54 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:45 |
| S58 | 26612 | (poly(A) or poly(T)) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:45 |
| S59 | 26612 | S58 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:45 |
| S60 | 26612 | S59 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:45 |
| S61 | 26612 | S58 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:45 |
| S62 | 8 | (polyA or polyT) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:46 |
| S63 | 8 | S62 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:46 |
| S64 | 8 | S63 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:46 |
| S65 | 8 | S62 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:46 |
| S66 | 12314 | model\$ near (build\$ or creat\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:46 |
| S67 | 12314 | S66 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:46 |

| | | | | | | |
|-----|-------|--|--|----|-----|---------------------|
| S68 | 12314 | S67 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:46 |
| S69 | 12314 | S67 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:46 |
| S70 | 12314 | S66 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:46 |
| S71 | 95 | (((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:47 |
| S72 | 95 | S71 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:47 |
| S73 | 95 | S72 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:47 |
| S74 | 95 | S71 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:47 |
| S75 | 95 | (((((model\$ and (protein or peptide or polypeptide)) and (3-D or 3-dimension\$)) and (sequence adj align\$)) and (genomic or (large adj scale))) and (model\$ near (build\$ or creat\$)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/20 00:47 |
| S76 | 95 | S75 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/20 00:47 |

| | | | | | | |
|-----|--------|--|--|----|-----|---------------------|
| S78 | 27443 | (poly(A) or poly(T)) near (probe or normaliz\$) | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:00 |
| S79 | 757993 | array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:00 |
| S80 | 5351 | ((poly(A) or poly(T)) near (probe or normaliz \$)) and array | USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/01/21 13:00 |

1/ 21/ 2009 1:09:19 PM

C:\Documents and Settings\szhou1\My Documents\EAST\Workspaces\10086748.wsp